AUTHOR INDEX, VOLUME 20

Anshus, B. E.: See Titomanlio, G.
Astarita, G.: See Titomanlio, G.
Ballal, B. Y. and Rivlin, R.S.: Flow of a Viscoelastic Fluid Between Eccentric Rotating Cylinders, 65
Berger, S. A., Chow, F., and Singer, J. R.: A New Oscillating Element Instrument for Viscometric Studies of Biological Fluids, 339
Boger, D. V.: See Halmos, A. L.
Burns, R.: See Gandhi, K. S.
Chow, F.: See Berger, S. A.
Cohen, E. R. and Tschoegl, N. W.: Comparison of the Dynamic Mechanical Properties of Two Styrene–Butadiene–Styrene Triblock Copolymers with 1,2- and 1,4-Polybutadiene Center Blocks, 153
Collins, E. A.: See Nakajima, N.
Cowin, S. C.: A Note on the Predictons from Polar Fluid Theory Which Are Independent of the Spin Boundary Condition, 195
Dealy, J., Farber, R., Rhi-Sausi, J., and Utracki, L.: Experiences with a Constant Stress Melt Extensiometer, 455
Eguiluz, M.: See Krieger, I. M.
Farber, R.: See Dealy, J.
Ferguson, J.: See Hudson, N. E.
Ferry, J. D.: See Taylor, C. R.
Fong, J. T., and Zapas, L. J.: Chemorheology and the Mechanical Behavior of Vulcanized Rubbers, 319
Frisch, H. L. Osmotically Driven Flow in Narrow Channels, 23
Gandhi, K. S. and Burns, R.: Rheological Properties of Glass Fiber-Reinforced Dough Molding Compounds, 489
Goldsmith, H. L.: See Vadas, E. B.
Greco, R.: See Taylor, C. R.
Halmos, A. L. and Boger, D. V.: Flow of Viscoelastic Polymer Solutions Through an Abrupt 2-to-1 Expansion, 253
Han, C. D.: See Khan, A. A.
Hudson, N. E. and Ferguson, J.: Correlation and Molecular Interpretation of Data Obtained in Elongation Flow, 265
Kajiura, H., Sakai, M., and Nagasawa, M.: A Network Rupture Constitutive Equation Based on Transient Stress Experiments, 575
Kearsley, E. A. and Zapas, L. J.: Experimental Tests of Some Integral Rheological Relations, 623
Kearsley, E. A.: See Penn, R. W.
Khan, A. A. and Han, C. D.: On the Interface Deformation in the Stratified Two-Phase Flow of Viscoelastic Fluids, 595
Kinder, D. F. and Sternstein, S. S.: A Path-Dependent Variable Approach to Nonlinear Viscoelastic Behavior, 119
Kolsky, H.: The Waves Generated by Brittle Fracture in Glass, 441
Kramer, O.: See Taylor, C. R.
Krieger, I. M. and Eguiluz, M.: The Second Electroviscous Effect in Polymer Lattices, 29
Kumler, P. R.: See Nakajima, N.
Matsui, M.: Air Drag on a Continuous Filament in Melt Spinning, 465
Mason, S. G.: See Vadas, E. B.
Lobo, P. F.: See Osmers, H. R.
Litt, M. H.: Free Volume and Its Relationship to the Temperature Effect on Zero Shear Melt Viscosity: A New Correlation, 47

Metzner, A. B.: See Titomanlio, G.
Middleman, S.: See Pearson, G.
Nagasawa, M.: See Kajiura, H.
Naik, S. C., Pittman, J. F. T., and Richardson, J. F.: The Rheology of Hydroxyethyl Cellulose Solutions, 639
Nakajima, N. and Collins, E. A.: Linear and Nonlinear Viscoelastic Measurements, Ultimate Properties, and Processability of Raw Elastomers, 1
——, Poh, H. S., Kumler, P. R., and Collins, E. A.: Processability Difference of Elastomers Observed by Rate Dependence of Viscoelastic Properties, 477
Osmers, H. R. and Lobo, P. F.: The First Normal Stress Function at High Shear Rates Using Pressure-Driven Angular Annular Flow, 239
Pearson, G. and Middleman, S.: An Empirical Constitutive Model for Polymer Solutions, 559
Penn, R. W. and Kearsley, E. A.: The Scaling Law for Finite Torsion of Elastic Cylinders, 227
Phillippoff, W.: The Analysis of the Entrance Flow into a Slit. Part I, 423
Phillips, M.: A Generalized Strain Measure in a Single-Integral Constitutive Equation, 185
Pittman, J. F. T.: See Naik, S. C.
Plochocki, A. P.: Rheological Properties of Polypropylene Polyethylene Molten Polymer Blends, 287
Poh, H. S.: See Nakajima, N.
Rama Murthy, A. V.: Velocity Descriptions in the Die Exit Region for a Polymer Solution: Influence of Die Entry Instabilities, 503
Rhi-Sausi, J.: See Dealy, J.
Richardson, J. F.: See Naik, S. C.
Rivlin, R. S. and Sawyers, K. S.: The Strain-Energy Function for Elastomers, 545
Rivlin, R. S.: See Ballal, B. Y.
Sakai, M.: See Kajiura, H.
Sawyers, K. S.: See Rivlin, R. S.
Scharda, S. C., and Tschoegl, N. W.: A Strain Energy Density Function for Compressible Rubberlike Materials, 361
Sieglaff, C. L.: Proposed Nomenclature for Steady Shear Flow and Linear Viscoelastic Behavior, 311
Singer, J. R.: See Berger, S. A.
Smith, T. L.: Linear Viscoelastic Response to a Deformation at Constant Rate: Derivation of Physical Properties of a Densely Crosslinked Elastomer, 103
——: Presentation of the Bingham Medal to A. N. Gent, 181
Sternstein, S. S.: See Kinder, D. F.
Sutherland, H. J.: Stress Wave Propagation in an RTV Rubber, 409
Taylor, C. R., Greco, R., Kramer, O., and Ferry, J. D.: Nonlinear Stress Relaxation of Polyisobutylene in Simple Extension, 140
Titomanlio, G., Anshus, B. E., Astarita, G., and Metzner, A. B.: The Rheology of Solid Polymers Subjected to Large Deformations, 527
Tschoegl, N. W.: See Cohen, R. E.
——: See Sharda, S. C.
Utracki, L.: See Dealy, J.
Vadas, E. B., Goldsmith, H. L., and Mason, S. G.: The Microrheology of Colloidal Dispersions. III. Concentrated Emulsions, 373
Williams, M. L.: A Note on the Analysis of an Adhesively Bonded Arterial Repair, 171
Wineman, A. S.: Large Axisymmetric Inflation of a Nonlinear Viscoelastic Membrane by Lateral Pressure, 203
Zapas, L. J.: See Fong, J. T.
——: See Kearsley, E. A.

TRANSACTIONS of the SOCIETY OF RHEOLOGY

VOLUME 20, 1976

Editor: Raymond R. Myers

Kent State University
Kent, Ohio

Assistant Editors: Edward A. Collins

B. F. Goodrich Chemical Company
Avon Lake, Ohio

Shigeharu Onogi

Kyoto University
Kyoto, Japan

J. George Savins

Socony-Mobile Oil Company
Dallas, Texas

Charles W. Seiglaff

Diamond Shamrock Company
Painesville, Ohio

A. Silberberg,

Weizmann Institute of Science
Rehovoth, Israel

James L. White

University of Tennessee
Knoxville, Tennessee

an Interscience® Publication

published by JOHN WILEY & SONS · NEW YORK · LONDON · SYDNEY · TORONTO

Copyright © 1976 by the Society of Rheology, Inc.

Statement of ownership, management, and circulation (Act of August 12, 1970; Section 3685 Title 39, United States Code)

1. Title of Publication: Transactions of the Society of Rheology
2. Date of filing: September 29, 1976
3. Frequency of issue: quarterly
3A. No. of issues published annually: 4
3B. Annual subscription price: $50.00
4. Location of known office of publication: John Wiley and Sons, Inc., 605 Third Avenue, New York, New York 10016
5. Location of the headquarters or general business offices of the publisher: John Wiley and Sons, Inc., 605 Third Avenue, New York, New York 10016
6. Names and addresses of publisher, editor, and managing editor:
   Publisher: John Wiley and Sons, Inc., 605 Third Avenue, New York, New York, 10016.
   Editor: Dr. Raymond R. Myers, Department of Chemistry, Kent State University, Kent, Ohio 44242
   Managing Editor: None
7. Owner: John Wiley and Sons, Inc., 605 Third Avenue, New York, New York, 10016
The following is a list of stockholders owning or holding 1% or more of John Wiley & Sons, Inc. stock as of September 29, 1976.

Cynthia W. Darby, Box 651, Bridgehampton, New York 11932; Hamilton Darby, Box 651, Bridgehampton, New York 11932; Edward P. Hamilton, 605 Third Avenue, New York, New York 10016; W. Bradford Wiley & Francis Lobdell, Trustees, Elizabeth W. Hamilton Trust, 605 Third Avenue, New York, New York 10016; Edward P. Hamilton, Trustee under will of Elizabeth Wiley Hamilton, c/o Gifford, Woody, Carter & Hays, 1 Wall Street, New York, New York 10005; Eric S. Proskauer & Charles H. Lieb, Trustees u/a by Jenny R. Proskauer, 220 Central Park South, New York, New York 10019; Francis Lobdell and W. Bradford Wiley, Trustees f/b/o Deborah Elizabeth Wiley, c/o John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10016; Cynthia W. Darby & Julia Gilbert, Trustees under will of Kate R. Q. Wiley, c/o Gifford, Woody, Carter & Hays, 1 Wall Street, New York, New York 10005; Francis Lobdell and W. Bradford Wiley, Trustees f/b/o Peter Booth Wiley, c/o John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10016; Francis Lobdell & W. Bradford Wiley, Trustees f/b/o William Bradford Wiley II, c/o John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10016; Edward P. Hamilton & Cynthia Wiley Darby, Trustees under will of William O. Wiley, c/o Gifford, Woody, Carter & Hays, 1 Wall Street, New York, New York 10005; Adele E. Windheim, 8 Dundee Road, Larchmont, New York; Mrs. Rosamond R. Pennywitt, 49 Bristol Place, Bay Head, New Jersey 08742; Drexel Burnham & Co., 60 Broad Street, New York, New York; Bankers Trust Company, 16 Wall Street, New York, New York 10015; National Bank of Detroit, Woodward Avenue, Detroit, Michigan; Riggs National Bank of Washington, D.C., 1508 H Street, N.W., Washington, D.C.; Manufacturers Hanover Trust Company, 350 Park Avenue, New York, New York 10022; Bank of New York, P.O. Box 11 203, New York, New York 10049; Morgan Guaranty Trust Company, 23 Wall Street, New York, New York 10015; Bradford Trust Company, 95 Wall Street, New York, New York 10005; National Commercial Bank & Trust Co., 60 State Street, Albany, New York 12207; Wells Fargo Bank, San Francisco, California 94144; Midland National Bank, 401 Second Avenue South, Minneapolis, Minnesota 55480; W. Bradford Wiley, 605 Third Avenue, New York, New York 10016.

8. Known bondholders, mortgagees, and other security holders owning or holding 1 per cent or more of total amount of bonds, mortgages, or other securities: None
9. Not applicable.
10. Extent and nature of circulation

	Average no. copies each issue during preceding 12 months	Actual number of copies of single issue published nearest to filing date
A. Total no. copies printed (*net press run*)	1800	1800
B. Paid circulation		
1. Sales through dealers and carriers, street vendors and counter sales	—	—
2. Mail subscriptions	1491	1491
C. Total paid circulation (*sum of 10B1 and 10B2*)	1491	1491
D. Free distribution by mail, carrier or other means, samples, complimentary, and other free copies	24	24
E. Total distribution (*sum of C and D*)	1515	1515
F. Copies not distributed		
1. Office use, left-over, unaccounted, spoiled after printing	285	285
2. Returns from news agents	—	—
G. Total (*sum of E, F1 and 2—should equal net press run shown in A*)	1800	1800

11. I certify that the statements made by me above are correct and complete. (Signature of editor, publisher, business manager, or owner) ALLAN WITTMAN, Publisher
12. For completion by publishers mailing at the regular rates (Section 132.121 Postal Service Manual)

39 U.S.C. 3626 provides in pertinent part: "No person who would have been entitled to mail matter under former section 4359 of this title shall mail such matter at the rates provided under this subsection unless he files annually with the Postal Service a written request for permission to mail matter at such rates." In accordance with the provisions of this statute, I hereby request permission to mail the publication named in item 1 at the reduced postage rates presently authorized by 39 U.S.C. 3626.

ALLAN WITTMAN

Transactions of the Society of Rheology

CONTENTS

Vol. 20, Issue Nos. 1-4, 1976

Issue No. 1

Dedication iii

Preface v

Publications of F. R. Eirich vii

N. Nakajima and E. A. Collins: Linear and Nonlinear Viscoelastic Measurements, Ultimate Properties, and Processability of Raw Elastomers. 1

H. L. Frisch: Osmotically Driven Flow in Narrow Channels 23

I. M. Krieger and M. Eguiluz: The Second Electroviscous Effect in Polymer Lattices 29

M. H. Litt: Free Volume and Its Relationship to the Temperature Effect on Zero Shear Melt Viscosity: A New Correlation 47

B. Y. Ballal and R. S. Rivlin: Flow of a Viscoelastic Fluid Between Eccentric Rotating Cylinders 65

T. L. Smith: Linear Viscoelastic Response to a Deformation at Constant Rate: Derivation of Physical Properties of a Densely Crosslinked Elastomer 103

D. F. Kinder and S. S. Sternstein: A Path-Dependent Variable Approach to Nonlinear Viscoelastic Behavior 119

C. R. Taylor, R. Greco, O. Kramer, and J. D. Ferry: Nonlinear Stress Relaxation of Polyisobutylene in Simple Extension 140

R. E. Cohen and N. W. Tschoegl: Comparison of the Dynamic Mechanical Properties of Two Styrene–Butadiene–Styrene Triblock Copolymers with 1,2- and 1,4-Polybutadiene Center Blocks 153

M. L. Williams: A Note on the Analysis of an Adhesively Bonded Arterial Repair 171

Issue No. 2

T. L. Smith: Presentation of the Bingham Medal to A. N. Gent 181

M. Phillips: A Generalized Strain Measure in a Single-Integral Constitutive Equation 185

S. C. Cowin: A Note on the Predictions from Polar Fluid Theory Which Are Independent of the Spin Boundary Condition 195

A. S. Wineman: Large Axisymmetric Inflation of a Nonlinear Viscoelastic Membrane by Lateral Pressure 203

R. W. Penn and E. A. Kearsley: The Scaling Law for Finite Torsion of Elastic Cylinders 227

H. R. Osmers and P. F. Lobo: The First Normal Stress Function at High Shear Rates Using Pressure-Driven Angular Annular Flow 239

A. L. Halmos and D. V. Boger: Flow of Viscoelastic Polymer Solutions Through an Abrupt 2-to-1 Expansion 253

N. E. Hudson and J. Ferguson: Correlation and Molecular Interpretation of Data Obtained in Elongational Flow 265

A. P. Plochocki: Rheological Properties of Polypropylene Polyethylene Molten Polymer Blends 287

C. L. Sieglaff: Proposed Nomenclature for Steady Shear Flow and Linear Viscoelastic Behavior 311

Issue No. 3

J. T. Fong and L. J. Zapas: Chemorheology and the Mechanical Behavior of Vulcanized Rubbers 319

S. A. Berger, F. Chow, and J. R. Singer: A New Oscillating Element Instrument for Viscometric Studies of Biological Fluids 339

S. C. Sharda and N. W. Tschoegl: A Strain Energy Density Function for Compressible Rubberlike Materials 361

E. B. Vadas, H. L. Goldsmith, and S. G. Mason: The Microrheology of Colloidal Dispersions. III. Concentrated Emulsions 373

H. J. Sutherland: Stress Wave Propagation in an RTV Rubber 409

W. Philippoff: The Analysis of the Entrance Flow into a Slit. Part I 423

H. Kolsky: The Waves Generated by Brittle Fracture in Glass 441

Notes

J. Dealy, R. Farber, J. Rhi-Sausi, and L. Utracki: Experiences with a Constant Stress Melt Extensiometer 455

M. Matsui: Air Drag on a Continuous Filament in Melt Spinning 465

Erratum

Publications of F. R. Eirich 475

Issue No. 4

N. Nakajima, H. S. Poh, P. R. Kumler, and E. A. Collins: Processability Difference of Elastomers Observed by Rate Dependence of Viscoelastic Properties 477

K. S. Gandhi and R. Burns: Rheological Properties of Glass Fiber-Reinforced Dough Molding Compounds 489

A. V. Rama Murthy: Velocity Descriptions in the Die Exit Region for a Polymer Solution: Influence of Die Entry Instabilities 503

G. Titomanlio, B. E. Anshus, G. Astarita, and A. B. Metzner: The Rheology of Solid Polymers Subjected to Large Deformations 527

R. S. Rivlin and K. S. Sawyers: The Strain-Energy Function for Elastomers 545

G. Pearson and S. Middleman: An Empirical Constitutive Model for Polymer Solutions 559

H. Kajiura, M. Sakai, and M. Nagasawa: A Network Rupture Constitutive Equation Based on Transient Stress Experiment 575

A. A. Khan and C. D. Han: On the Interface Deformation in the Stratified Two-Phase Flow of Viscoelastic Fluids 595

E. A. Kearsley and L. J. Zapas: Experimental Tests of Some Integral Rheological Relations 623

S. C. Naik, J. F. T. Pittman, and J. F. Richardson: The Rheology of Hydroxyethyl Cellulose Solutions 639

Call for Papers 651

Author Index 653

Volume Title Page i

Volume Contents iii